

Test.html

```
<html>
<head>
<title>TEST</title>
<script language="javascript">
function somme()
{ var a=document.f.T1.value;
var b=document.f.T2.value;
c=Number(a)+Number(b);
alert("la somme est"+c);
}
function pgcd()
{ var a=document.f.T1.value;
var b=document.f.T2.value;
var n=Number(a);
var m=Number(b);
while (n!=m)
{
if(n>m)
n-=m;
else
m-=n;
}
alert('le pgcd de '+a+'et'+b+'est='+n);
}
function ppcm()
{ var a=document.f.T1.value;
var b=document.f.T2.value;

var n=Number(a);
var m=Number(b);
var max,min;
if (n>m)
{ max=n;
min=m;}
else
{ max=m;
min=n;}
while (max %min!=0)
{
max=max+n+m-min;}
alert('le ppcm de '+a+'et'+b+'est='+max);
}
</script>
</head>
<body>
<b>TEST</b>
<form method="POST" name="f" >
<b>Valeur 1 <input type="text" name="T1"
size="20"></b>
```

```
<b>Valeur 2 <input type="text" name="T2"
size="20"></b></p>
<input type="button" value="SOMME"
onclick="somme()" name="B1">
<input type="button" value="PGCD"
onclick="pgcd()" name="B2"></p>
<input type="button" value="PPCM"
onclick="ppcm()" name="B3"></p>
</form>
<p align="left">&nbsp;   </p>
</body>
</html>
```

Convertisseur.html

```
<html>
<head>
<title>convertisseur</title>
</head>
<script language="javascript">

function convert()
{ var a=document.f.T1.value;
if(isNaN(a))
{ alert('conversion impossible');}
else
{
t=Number(a);
s=(t%3600)%60;
var mn=((t-s)%3600)/60;
h=(t-(mn*60)-s)/3600;
alert('le temps est'+h+':'+mn+':'+s);
}
}
</script>

<body>
<p>CONVERTISSEUR</p>
<form method="POST" name="f" >
<p>Nombre de seconde:<input type="text"
name="T1" size="20"></p>
<p><input type="button" value="Convertir"
onclick="convert()"name="B1"></p>
</form>
</body>
</html>
```